Northwest Science
Volume 62 (1988)
Author and Subject Index

[All author entry headings are in capital letters. Abstract numbers are shown in parentheses (abs. #) before page numbers.]

Abies *see* firs
ADAMS, A. B. The effect of the 85% Methanol extract of *Alnus rubra* (red alder) on the survival and dietary utilization indices of *Malacosoma californicum pluviale* (tent caterpillars). (Abs. 56) 78
AGEE, J. K. and M. H. HUFF. Foliar moisture of pacific northwest subalpine conifers. (Abs. 25) 71
AHRENS, G. R. and M. NEWTON. Tanoak root dieback: below- and above-ground site occupancy by stump-sprouts in S. W. Oregon. (Abs. 2) 65
Alaska
  vegetation studies: Ver Hoeff *et al.*, 171-180
alder, red (*Alnus rubra*)
  ecosystems: Bernardy, (abs. 18) 69
  growth and irrigation: Cellarius and Bell, (abs. 24) 70
  seedling growth: Radwan and DeBell, (abs. 29) 72
  and tent caterpillars: Adams, (abs. 56) 78
Alnus *see* alder, red
Alvord Basin, Or
  geology: Lindberg and Hemphill-Haley, (abs. 68) 81
ANTHONY, R. G. *see* Toweill and Anthony, 99-103
anthropology
  Clovis points: Mehringer, 271-272
antibodies
  monoclonal: Beck and McNutt, (abs. 62) 80
ANTOS, J. A. *see* Zobel and Antos, (abs. 50) 77
ANZICK, J. *see* Lacey *et al.*, 1-9
Aplodontia *see* beavers, mountain
Arctostaphylos *see* manzanita
Arid Lands Ecology Reserve, Wa
  elk immobilization: McCorquodale *et al.*, 49-52
ARNETT, J. *see* Taylor and Arnett, (abs. 55) 78
Astragalus cottonii
  ecology: Gracz *et al.*, (abs. 57) 79

BAKER-KATZ, K., S. D. TESCH and S.D. HOBBS. Five year effects of green leaf manzanita and canyon live oak competition on douglas-fir survival. (Abs. 4) 65
BASABE, F. A. and R. EDMONDS. Spatial and temporal patterns of ozone in western Washington forests. (Abs. 83) 85
beavers, mountain (*Aplodontia rufa*)
  nest removal: Campbell *et al.*, (abs. 42) 75
BECK, I. J. and C. T. McNUTT. Production of monoclonal antibodies against *Corynebacterium diphtheria*. (Abs. 62) 80
BEDUNAH, D. *see* Jourdonnais and Bedunah, (abs. 32) 72
BENNER, P. A. and J. R. SEDELL. Historical reconstruction of the amounts of large woody debris at northwest river mouths. (Abs. 82) 85
BENTSON, K. P. and L. A. NORRIS. Foliar penetration and volatilization of triclopyr butoxyethyl ester from deposits on leaves and glass slides. (Abs. 81) 85
BERNARDY, P. Classification of red alder ecosystems in the Elk River Tree Farm. (Abs. 18) 69
BESCHTA, R. L. *see* Piehl *et al.*, 91-98
'bigfoot'
  footprints: Bodley, 129-130
bioaesthetics
  and integrated learning: Shepard, (abs. 63) 80
birds
  kingfisher perches: Snook and Sullivan, (abs. 79) 84
  savannah sparrow habitat: Rogers, (abs. 40) 74
bobcats (*Felis rufus*)
  diet: Toweill and Anthony, 99-103
BODLEY, J.H. Sasquatch footprints: can dermal ridges be faked? 129-130
BOND, C. E., E. REXSTAD and R. M. HUGHES. Habitat use of twenty-five common species of Oregon freshwater fishes. 223-232
botany
  (abs. 47-61) 76-80
  early botanical survey: Mack, 118-128
BRADFIELD, G. E. see Campbell and Bradfield, 28-35
British Columbia
  tidal marsh vegetation: Campbell and Bradfield, 28-35
BROWNSON, R. M. *see* Lacey *et al.*, 1-9
BRYANT, L. D. *see* Toweill *et al.*, 147-50
BULL, E. L. *see* Parks *et al.*, (abs. 16) 68
burning *see* fires

Calochortus
  seed morphology: Ness, (abs. 61) 80
CAMERON, K. A. Fumarole fields and thermal features at Mount Hood, Oregon. (Abs. 72) 82
CAMPBELL, A. and G. E. BRADFIELD. Short-term vegetation change after dyke breaching at the Kokish Marsh, northeastern Vancouver Island. 28-35
CAMPBELL, D. L., J. D. OCHELTREE and M. G. CAREY. Adaptation of mountain beavers (*Aplodontia rufa*) to removal of underground nests. (Abs. 42) 75
CAMPBELL, W. G. and S. E. MORRIS. Hydrologic response of the Pack River, Idaho, to the Sundance fire. 165-170
Cancer *see* crabs
canines
  rank order: Sullivan, (abs. 39) 74
CAREY, M. G. Reduction of a small wild mammal population exposed to anticoagulant bait. (Abs. 43) 75
CAREY, M. G. *see* Campbell *et al.*, (abs. 42) 75
CARSON, R. J. *see* May *et al.*, (abs. 76) 83
Cascade Range, Or
  bobcat diet: Toweill and Anthony, 99-103
CASTILLO, W. J. *see* Meyers *et al.*, 36-40
caterpillars, tent (*Malacosoma californicum*)
  and alder extract: Adams, (abs. 56) 78
cattle
  and elk range: Jourdonnais and Bedunah, (abs. 32) 72
CAZA, C. L. and J. P. KIMMINS. The impact of non-carboniferous vegetation on the performance of Engelmann spruce (*Picea engelmannii* Parry) seedlings on subalpine forest cutovers. (Abs. 8) 66
cedars *see* redcedars
CELLARIUS, R. A. and D. S. DEBELL. Effect of irrigation on growth and photosynthesis in alder and cottonwood plantations. (Abs. 24) 70
Centaurea *see* knapweeds
Cervus *see* elk
Ceryle *see* kingfishers

char, dolly varden (*Salvelinus malma*)
habitat partitioning: Mundy, (abs. 41) 75
CHARLESON, L. *see* Kannangara *et al.*, (abs. 23) 70
CLANCEY, P. T. *see* Fraley and Clancey, 111-117
clearcuts
regeneration: Hilton and Thornburgh, (abs. 1) 65
Clovis points
Richey-Roberts cache: Mehringer, 271-272
COBLE, D. Juvenile height growth of pacific silver fir in western Washington. (Abs. 13) 68
COLE, E. C. and M. NEWTON. Comparative growth responses of douglas-fir and grand fir at varying densities. (Abs. 12) 67
COLEY, T. C. *see* McCabe *et al.*, 254-262
Columbia Plateau, Wa
early botanical survey: Mack, 118-128
Columbia River
crabs in estuary: McCabe *et al.*, 254-262
trout in plume: Loch and Miller, 41-48
conifers
growth after fire: Douglas-Crampton and Lavendar, (abs. 27) 71
seedling growth: Kannangara *et al.*, (abs. 23) 70
seedlings in tephra: Zobel and Antos, (abs. 50) 77
see also cedars; douglas-firs; firs; hemlocks; pines; redcedars; redwoods; spruce
Corynebacterium diphtheria
antibodies against: Beck and McNutt, (abs. 62) 80
cottonwoods (*Populus*)
growth and irrigation: Cellarius and Bell, (abs. 24) 70
spacing trial: Puettmann and Emmingham, (abs. 14) 68
cougars (*Felis concolor*)
reproduction: Toweill *et al.*, 147-150
crabs, Dungeness (*Cancer magister*)
in estuary: McCabe *et al.*, 254-262
CRAVEN, G. F. Tectonic deformation of late Pleistocene shorelines in Warner Valley, Lake County, Oregon. (Abs. 69) 82
CRAWFORD, J. A. *see* Meyers *et al.*, 36-40
CRAWFORD, M. S. and D. H. McNABB. Protecting seedlings from burial on steep slopes in southwest Oregon. (Abs. 5) 66
CURRAN, C. W. Water resources planning in Oregon: a bold new direction. (Abs. 86) 86

cDNA cloning
of liver fluke mRNA: Taylor and Lightfoot, (abs. 46) 76
DANNER, W. R. Unique fossils and pseudofossils from Washington and British Columbia. (Abs. 67) 81
DeBELL, D. S. *see* Cellarius and DeBell, (abs. 24) 70
DeBELL, D. S. *see* Radwan and DeBell, (abs. 29) 72
decay, wood
western hemlock: Shaw *et al.*, (abs. 15) 68
western larch: Parks *et al.*, (abs. 16) 68
dinosaurs
extinction: Drake and Herman, 131-146
DOGGETT, S. *see* Lacey *et al.*, 1-9
dogs
rank order: Sullivan, (abs. 39) 74
DOUGLAS-CRAMPTON, D. and D. P. LAVENDAR. Ecophysiological responses of *Pseudotsuga menziesii* var. Glauca, *Larix occidentalis*, *Pinus contorta* var. Latifolia, and *Picea engelmannii* to planting on a mesic, south-exposed, burned and unburned site with two levels of vegetation removal. (Abs. 27) 71
douglas-firs (*Pseudotsuga menziesii*)
as Christmas trees: Hanley, (abs. 34) 73
and competitors: Baker-Katz *et al.*, (abs. 4) 65
and fungicide: Thies and Li, 16-20
growth: Cole and Nelson, (abs. 12) 67
provenance/progeny trial: Kantarli, (abs. 11) 67
root starch: Forry and Zaerr, (abs. 21) 70
seedling growth: Page-Dumroese and Graham, (abs. 28) 71
seedling performance: Lopushinsky, (abs. 9) 67
seedling protection: Crawford and McNabb, (abs. 5) 66
stock types: Graham and Hobbs, (abs. 6) 66
and tanoak: Harrington and Tappeiner, (abs. 3) 65
DRAKE, C. L. and Y. HERMAN. Did the dinosaurs die or evolve into red herrings? 131-146
DRIVER, C. H. *see* Shaw *et al.*, (abs. 15) 68
duff, forest
and combustion: Hartford, (abs. 35) 73
and smoldering: Frandsen, (abs. 36) 73
Dungeness Spit, Wa
vegetation chronosequence: Kaye, (abs. 48) 76

EBERHARDT, L. E. *see* McCorquodale *et al.*, 49-52
ecology
spotted knapweed in grasslands: Tyser and Key, 151-160
EDDLEMAN, L. E. Precipitation throughfall, stemflow and interception by western juniper canopies. (Abs. 37) 74
EDGERTON, P. J. A forest plantation grazing study in the central Washington Cascade Range: musings of a scientist/herder. (Abs. 78b) 84
EDMONDS, R. *see* Basabe and Edmonds, (abs. 83) 85
EDMONDS, R. L. *see* Shaw *et al.*, (abs. 15) 68
education
environmental
current programs: Hilligoss and Middleton, (abs. 64) 80
science
(abstracts 63-65) 80-81
an analysis: Hilligoss and Middleton, (abs. 64) 80
for elementary teachers: Mitchell, (abs. 65) 81
integrated learning: Shepard, (abs. 63) 80
EGGERS, A. A. *see* Mundorff and Eggers, 10-15
elk (*Cervus elaphus*)
immobilization: McCorquodale *et al.*, 49-52
range and fires: Jourdonnais and Bedunah, (abs. 32) 72
EMMETT, R. L. *see* McCabe *et al.*, 254-262
EMMINGHAM, W. H. Early survival and growth of wildling western hemlock planted beneath a thinned red alder stand. (Abs. 10) 67
EMMINGHAM, W. H. *see* Puettmann and Emmingham, (abs. 14) 68
Enhydra *see* otters
environmental science
(abstracts 80-83) 85-86
see also forest science
Equus *see* horses
EVERETT, R. L. and D. F. THRAN. Nutrient dynamics of singleleaf pinyon needles. (Abs. 38) 74
extinctions
of dinosaurs: Drake and Herman, 131-146
and volcanism: Hooper, 186-187

fans, alluvial
Owens Valley: Herrick, (abs. 74) 83
Sutton Mountain: Gordon and Taylor, (abs. 73) 83
Fasciola hepatica *see* flukes, liver
Felis *see* bobcats; cougars
FELLER, M. C. *see* Thomson and Feller, (abs. 31) 72
fertilizers
and seedling growth: Radwean and DeBell, (abs. 29) 72

FIELDER, P. C. and B. G. KEESEE. Results of a mountain goat transplant along Lake Chelan, Washington. 218-222
FILIP, G. M. *see* Parks *et al.*, (abs. 16) 68
fires
and conifer growth: Douglas-Crampton and Lavendar, (abs. 27) 71
effect on river: Campbell and Morris, 165-170
and elk range: Jourdonnais and Bedunah, (abs. 32) 72
and heather: Potash, (abs. 52) 77
on Mount Ranier: Huff, (abs. 33) 73
and ponderosa pine: Swezy, (abs. 53) 78
and small mammals: Groves and Steenhof, 205-210
smouldering peat moss: Frandsen, (abs. 36) 73 and Hartford, (abs. 35) 73
and soil microbiology: Rose and Hutchins, (abs. 30) 72
and wildlife habitat: Thomson and Feller, (abs. 31) 72
firs (*Abies*)
douglas- *see* douglas-fir
grand (*A. grandis*) growth: Cole and Newton, (abs. 12) 67
noble (*A. procera*) as Christmas trees: Hanley, (abs. 34) 73
pacific silver (*A. amabilis*) height-growth: Coble, (abs. 13) 68
red (*A. magnifica*) foliar moisture: Agee and Huff, (abs. 25) 71
fishes
freshwater in Oregon: Bond *et al.*, 223-232
habitat partitioning: Mundy, (abs. 41) 75
kokanee migration: Fraley and Clancey, 111-117
salmon management: Hasler and Spaar, (abs. 84) 86
trout in river plume: Loch and Miller, 41-48
Flathead River, Mont
kokanee migration: Fraley and Clancey, 111-117
FLORANCE, E. R. and C. G. SHAW III. Surface morphology of basidiospores from decay fungi that are common in Pacific Northwest forests. 233-241
flukes, liver (*Fasciola hepatica*)
cDNA cloning: Taylor and Lightfoot, (abs. 46) 76
fog
and vegetation: Harris, (abs. 80) 85
footprints
sasquatch: Bodley, 129-130
forest science
(abs. 1-38, 78b) 65-74, 84
decay fungi: Florance and Shaw, 233-241
fungicides: Thies and Li, 16-20
road drainage: Piehl *et al.*, 91-98
see also environmental science
FOREYT, J. Reproduction of Rocky Mountain bighorn sheep (*Ovis canadensis*) in Washington: birthdates, yearling ram reproduction and neonatal diseases. 161-164
FORRY, K. R. and J. B. ZAERR. The starch content of roots as an estimator of douglas-fir [*Pseudotsuga menziesii* (Mirb.) Franco] seedling quality. (Abs. 21) 70
fossils
Washington and B.C.: Danner, (abs. 67) 81
FRALEY, J. J. and P. T. CLANCEY. Downstream migration of stained kokanee fry in the Flathead River system, Montana. 111-117
FRANDSEN, W. H. Measuring the heat evolved from smoldering dry peat moss in response to variable packing and mixing with inert powdered silica to mimic forest duff. (Abs. 36) 73
FRENZEN, P. M. Managing for preservation and research at Mount St. Helens. (Abs. 20) 69
fungi
incipient decay: Shaw *et al.*, (abs. 15) 68
spores: Florance and Shaw, 233-241
stem decay: Parks *et al.*, (abs. 16) 68
fungicides
Lauricidin: Thies and Li, 16-20

GECY, J. L. and M. V. WILSON. Expectations vs. reality in early succession after debris torrents. (Abs. 49) 77
genetics
in horses: Kirkpatrick and Gilluly, 21-27
in plants: Wolf *et al.*, (abs. 54) 78
geochemistry
and vegetation: Hawkins, (abs. 66) 81
geology/geography
(abs. 66-77, 85, 86) 81-84, 86
dinosaur extinction: Drake and Herman, 131-146
extinctions and volcanism: Hooper, 186-187
Tumtum Mountain: Mundorff and Eggers, 10-15
GILBERTSON, R. L. *see* Parks *et al.*, (abs. 16) 68
GILCHRIST, J. C. *see* Lacey *et al.*, 1-9
GILLULY, M.S. *see* Kirkpatrick and Gilluly, 21-27
glaciology
Cascade Range: Long, (abs. 71) 82
Mount Shasta: Mark, (abs. 85) 86
GLENN-LEWIN, D. C. *see* Ver Hoef *et al.*, 171-180
goats, mountain (*Oreamnos americanus*)
transplantation: Fielder and Keesee, 218-222
GOLDIN, A. Soil moisture classification in northwestern Washington. 104-110
GORDON, I. R. and E. M. TAYLOR. An alluvial fan, a pediment, and tectonism of early Miocene age, Sutton Mountain, Wheeler County, Oregon. (Abs. 73) 83
GRACZ, M. B., T. N. KAYE and E. SCHREINER. A report on the ecology of the Olympic endemic *Astragalus cottonii*. (Abs. 57) 79
GRAHAM, J. S. and S. D. HOBBS. Morphology, root growth potential, and seedling development of douglas-fir stocktypes. (Abs. 6) 66
GRAHAM, R. T. *see* Page-Dumroese and Graham, (abs. 28) 71
GROVES, C. R. Distribution of the wolverine in Idaho as determined by mail questionnaire. 181-185
GROVES, C. R. and K. STEENHOF. Responses of small mammals and vegetation to wildfire in shadscale communities of southwestern Idaho. 205-210
Gulo *see* wolverines

habitat use
freshwater fish: Bond *et al.*, 223-232
and pheasant broods: Meyers *et al.*, 36-40
savannah sparrows: Rogers, (abs. 40) 74
HAENSLY, T. F. *see* Meyers *et al.*, 36-40
HANLEY, D. P. Fertilization and liming of douglas-fir and noble fir Christmas trees. (Abs. 34) 73
HARRINGTON, T. B. and J. C. TAPPEINER. Predicting the effects of tanoak competition on douglas-fir growth. (Abs. 3) 65
HARRIS, S. A. Relationship of convection fog to vegetation of Redwood National Park, California. (Abs. 80) 85
HARTFORD, R. A. Laboratory investigations of moisture and mineral contributions to peat moss smoldering combustion limits. (Abs. 35) 73
HASSLER, T. J. and S. A. SPAAR. Estimating salmon production at a spawning channel on the Sacramento River. (Abs. 84) 86
HAWKINS, D. B. Effect of bedrock type on geochemistry and vegetation. (Abs. 66) 81
heathers, pink (*Phyllodoce empetriformis*)
and fire: Potash, (abs. 52) 77
HECHT, A. *see* Merriam *et al.*, 188-203

hemlocks, western (*Tsuga mertensiana*)
decay: Shaw *et al.*, (abs. 15) 68
light levels: Messier *et al.*, (abs. 22) 70
wildling seedlings: Emmingham, (abs. 10) 67
HEMPHILL-HALEY, M. A. *see* Lindberg and Hemphill-Haley, (abs. 68) 81
herbicides
triclopyr butoxethyl ester: Bentson and Norris, (abs. 81) 85
HERMAN, Y. *see* Drake and Herman, 131-146
HERRICK, J. F. Development of a chronosequence of surfaces on an alluvial fan in the Owens Valley. (Abs. 74) 83
Heuchera glossulariifolia
genetics: Wolf *et al.*, (abs. 54) 78
HILLIGOSS, L. K. and B. A. MIDDLETON. A selective analysis of natural resource-based education: barriers, field projects and curriculum models. (Abs. 64) 80
HILTON, S. J. and D. A. THORNBURG. Effects of slash density and treatment on shrub regeneration in small clearcuts. (Abs. 1) 65
HOBBS, S. D. *see* Baker-Katz *et al.*, (abs. 4) 65
HOBBS, S. D. *see* Graham and Hobbs, (abs. 6) 66
HOOPER, P. R. Volcanism and extinctions. 186-187
horses, feral (*Equus caballus*)
serum proteins: Kirkpatrick and Gilluly, 21-27
HUFF, M. H. Spring subalpine fire at Mount Ranier National Park: 1987 South Mowich fire. (Abs. 33) 73
HUFF, M. H. *see* Agee and Huff, (abs. 25) 71
HUGHES, R. M. *see* Bond *et al.*, 223-232
HUTCHINS, A. S. *see* Rose and Hutchins, (abs. 30) 72

Idaho
Coeur d'Alene salamanders: Wilson and Larsen, 211-217
response to wildfires: Groves and Steenhof, 205-210
wolverine distribution: Groves, 181-185
see also Pack River
immobilization techniques
elk: McCorquodale *et al.*, 49-52
immunology
(abstract 62) 80
INGERSOLL, C. A. and M. V. WILSON. Buried propagules in a temperate old-growth forest and their response to experimental disturbances. (Abs. 47) 76
introduced species
bighorn sheep re-introduction: Foreyt, 161-164
knapweed distribution: Roché and Roché, 242-253
spotted knapweed: Tyser and Key, 151-160
see also transplanted species
irrigation
and tree growth: Cellarius and Bell, (abs. 24) 70

JOHNSON, F.D. *see* Lorain and Johnson, (abs. 58) 79
JOHNSON, M. L. *see* Towell *et al.*, 147-150
JOURDONNAIS, C. and D. BEDUNAH. Influence of prescribed fire and cattle grazing on an elk winter range in Montana. (Abs. 32) 72
juniper, western (*Juniperus occidentalis*)
and precipitation: Eddleman, (abs. 37) 74

kames
Waterville Plateau: May *et al.*, (abs. 76) 83
KANNANGARA, T., S. N. SILIM, D. P. LAVENDAR and L. CHARLESON. Effects of photoperiod and plant growth regulatory substances upon the growth of coniferous seedlings. (Abs. 23) 70
KANTARLI, M. Height variation of a 16 year old douglas-fir provenance/progeny trial. (Abs. 11) 67
KAYE, T. N. Vegetation chronosequence along a sand deposition gradient at Dungeness Spit, Olympic Peninsula, Washington. (Abs. 48) 76
KAYE, T. N. *see* Gracz *et al.*, (abs. 57) 79
KEESEE, B. G. *see* Fielder and Keesee, 218-222
KEY, C. H. *see* Tyser and Key, 151-160
KIMMINS, J. P. *see* Caza and Kimmins, (abs. 8) 66
KIMMINS, J. P. *see* Messier *et al.*, (abs. 22) 70
kingfishers, belted (*Ceryle alcyon*)
perches: Snook and Sullivan, (abs. 79) 84
KIRKPATRICK, J. F. and M. S. GILLULY. Transferrin and hemoglobin polymorphism in feral horses (*Equus caballus*). 21-27
KISER, R. W. *see* Merriam *et al.*, 188-203
knapweeds (*Centaurea*)
distribution: Roché and Roché, 242-253
spotted (*C. maculosa*) ecology: Tyser and Key, 151-160
kokanee (*Oncorhynchus nerka*)
fry migration: Fraley and Clancey, 111-117
Kokish Marsh, B.C.
plant communities: Campbell and Bradfield, 28-35

LACEY, J. R., S. B. LAURSEN, J. C. GILCHRIST, R. M. BROWNSON, J. ANZICK and S. DOGGETT. Economic and social implications of managing wildlife on private land in Montana. 1-9
Lamium
new hybrid: Taylor and Arnett, (abs. 55) 78
larch, western (*Larix occidentalis*)
decay: Parks *et al.*, (abs. 16) 68
Larix *see* larch
LARSEN, J. H., Jr. *see* Wilson and Larsen, 211-217
LARSEN, J. H., Jr. *see* Wilson *et al.*, (abs. 44) 75
Lauricidin (fungicide)
in tree stumps: Thies and Li, 16-20
LAURSEN, S. B. *see* Lacey *et al.*, 1-9
LAVENDAR, D. P. *see* Douglas-Crampton and Lavendar, (abs. 27) 71
LAVENDAR, D. P. *see* Kannangara *et al.*, (abs. 23) 70
LAVENDAR, D. P. *see* von der Gonna and Lavendar, (abs. 7) 66
Leiberg, John H. (early botanist)
on Columbia Plateau: Mack, 118-128
LI, C. Y. *see* Thies and Li, 16-20
light
levels under conifer stands: Messier *et al.*, (abs. 22) 70
see also photoperiods
LIGHTFOOT, D. R. *see* Taylor and Lightfoot, (abs. 46) 76
LINDBERG, D. N. and M. A. HEMPHILL-HALEY. Late-Pleistocene pluvial history of the Alvord Basin, Harney County, Oregon. (Abs. 68) 81
Lithocarpus *see* tanoaks
LITKKE, W. R. *see* Shaw *et al.*, (abs. 15) 68
LOCH, J. J. and D. R. MILLER. Distribution and diet of sea-run cutthroat trout captured in and adjacent to the Columbia River plume, May-July 1980. 41-48
logging residues
and seedling performance: Lopushinsky, (abs. 9) 67
LONG, W. A. A fifth Leavenworth substage in the Icicle-Chiwaukum Creeks area, North Cascade Range, Washington. (Abs. 71) 82
LOPUSHINSKY, W. Seedling survival, height growth and variation in site factors after treatment of logging residues—a case study. (Abs. 9) 67
LORAIN, C. C. and F. D. JOHNSON. Phytogeographic studies of Pacific coastal disjunct stands in the northern Rocky Mountains. (Abs. 58) 79

MACK, R. N. First comprehensive botanical survey of the Columbia Plateau, Washington: the Sandberg and Leiberg Expedition of 1893. 118-128
MACKENZIE, K. J. *see* Messier *et al.*, (abs. 22) 70
Malacosoma californicum pluviale
and red alder extract: Adams (abs. 56) 78
mammals, small
and anticoagulant bait: Carey, (abs. 43) 75
and wildfires: Groves and Steenhof, 205-210
management
preservation
Mount St. Helens: Frenzen, (abs. 20) 69
water
in Oregon: Curran, (abs. 86) 86
wildlife
economic implications: Lacey *et al.*, 1-9
and fires: Thomson and Feller, (abs. 31) 72
manzanita (*Arctostaphylos*)
and douglas-fir: Baker-Katz *et al.*, (abs. 4) 65
MARK, S. R. Early scientific expeditions on Mount Shasta. (Abs. 85) 86
marshes
vegetation: Campbell and Bradfield, 28-35
MASER, C. *see* Toweill *et al.*, 147-150
MAY, B. A., P. K. SPENCER and R. J. CARSON. Analysis of kames composed of fine grained sediment, Waterville Plateau, Washington. (Abs. 76) 83
McCABE, G. T., Jr., R. L. EMMETT, T. C. COLEY and R. J. McCONNELL. Distribution, density and size-class structure of Dungeness crabs in the river-dominated Columbia River estuary. 254-262
McCONNELL, R. J. *see* McCabe *et al.*, 254-262
McCORQUODALE, S. M., L. E. EBERHARDT and S. E. PETRON. Helicopter immobilization of elk in southcentral Washington. 49-52
McNABB, D. H. *see* Crawford and McNabb, (abs. 5) 66
McNUTT, C. T. *see* Beck and McNutt, (abs. 62) 80
MEHRINGER, P. J., Jr. The Richey-Roberts Clovis cache, East Wenatchee, Washington. 271-272
MERRIAM, W. B., A. HECHT and R. W. KISER. A brief history of the Northwest Science Association: 1960-1972. 188-203
MESSIER, C., K. J. MACKENZIE and J. P. KIMMINS. Some observations on the photosynthetic photon flux density under different cedar/hemlock stands with a note on *Gaultheria shallon* Pursh vigor. (Abs. 22) 70
MEYERS, S. M., J. A. CRAWFORD, T. F. HAENSLY and W. J. CASTILLO. Use of cover types and survival of ring-necked pheasant broods. 36-40
microbiology, soil
and fires: Rose and Hutchins, (abs. 30) 72
MIDDLETON, B. A. *see* Hilligoss and Middleton, (abs. 64) 80
migration
kokanee fry: Fraley and Clancey, 111-117
MILLER, D. R. *see* Loch and Miller, 41-48
MISHAGA, R. J. and J. L. NICHOLLS. Growth and survival of experimentally transplanted populations of *Sidalcea nelsoniana*, a federal candidate species. (Abs. 51) 77
MITCHELL, D. W. Integrated science concepts courses for pre-service elementary teachers of science. (Abs. 65) 81
Modoc Plateau, Ca
geology: Potter, (abs. 77) 84
moisture, foliar
conifers: Agee and Huff, (abs. 25) 71
Montana
wildlife management: Lacey *et al.*, 1-9
see also Flathead River
moraines
Cascade Range: Long, (abs. 71) 82
MORRIS, S. E. *see* Campbell and Morris, 165-170
Mount Hood, Or
thermal features: Cameron, (abs. 72) 82
Mount Rainier, Wa
fires: Huff, (abs. 33) 73
Mount Shasta, Ca
early expeditions: Mark, (abs. 85) 86
Mount St. Helens, Wa
preservation management: Frenzen, (abs. 20) 69
MUNDORFF, M. J. and A. A. EGGERS. Tumtum Mountain, a late Pleistocene volcanic dome in southwestern Washington. 10-15
MUNDY, P. J. Habitat partitioning between sympatric coho salmon and dolly varden char juveniles. (Abs. 41) 75
MURRAY, M. D. Engelmann spruce in western Washington. (Abs. 19) 69

NEILAND, B. J. *see* Ver Hoef *et al.*, 171-180
NESS, B. D. Phylogenetic implications of seed morphology in *Calochortus* (Liliaceae). (Abs. 61) 80
NEWTON, M. *see* Ahrens and Newton, (abs. 2) 65
NEWTON, M. *see* Cole and Newton, (abs. 12) 67
NICHOLLS, J. L. see Mishaga and Nicholls, (abs. 51) 77
NORRIS, L. A. *see* Bentson and Norris, (abs. 81) 85
Northwest Scientific Association
history 1960-1972: Merriam *et al.*, 188-203

oak, canyon live (*Quercus chrysolepis*)
and douglas-fir: Baker-Katz *et al.*, (abs. 4) 65
OCHELTREE, J. D. *see* Campbell *et al.*, (abs. 42) 75
Oncorhynchus *see* kokanee; salmon
Oreamnos *see* goats
Oregon
bobcat diet: Toweill and Anthony, 99-103
cougar reproduction: Toweill *et al.*, 147-150
forest road drainage: Piehl *et al.*, 91-98
freshwater fish habitat use: Bond *et al.*, 223-232
otters, sea (*Enhydra lutris*)
foraging strategies: Sullivan and Sullivan, (abs. 78a) 84
Ovis *see* sheep
Owens Valley, Ca
geology: Herrick, (abs. 74) 83
ozone
in forests: Basabe and Edmonds, (abs. 83) 85

Pack River, Id
response to fire: Campbell and Morris, 165-170
PAGE-DUMROESE, D. S. and R. T. GRAHAM. Changes in douglas-fir seedling growth as a result of soil source, organic matter content and seed source. (Abs. 28) 71
paleontology
fossils: Danner, (abs. 67) 81
PARKER, D. B. The petrology of the Summit Valley plutonic complex, Klamath Mountains, California. (Abs. 70) 82
PARKS, C. A., E. L. BULL, G. M. FILIP and R. L. GILBERTSON. Stem decay fungi associated with bird nesting cavities in western larch in northeastern Oregon. (Abs. 16) 68
Passerculus *see* sparrows
peat moss
smoldering heat: Frandsen, (abs. 36) 73
smoldering limits: Hartford, (abs. 35) 73
petrology
Summit Valley, Ca: Parker, (abs. 70) 82
PETRON, S. E. *see* McCorquodale *et al.*, 49-52

Phasianus *see* pheasants
pheasants, ring-necked (*Phasianus colchicus*)
habitat: Meyers *et al.*, 36-40
Phellinus weirii
and fungicide: Thies and Li, 16-20
phenology
spring flowering plants: Wagner, (abs. 59) 79
photoperiods
and seedling growth: Kannangara *et al.*, (abs. 23) 70
see also light
Phyllodoce *see* heather
phytogeographic studies
disjunct plants: Lorain and Johnson, (abs. 58) 79
Picea *see* spruce
PIEHL, B. T., R. L. BESCHTA and M. R. PYLES. Ditch-relief culverts and low-volume forest roads in the Oregon Coast Range. 91-98
pines (*Pinus*)
lodgepole (*P. contorta*) understory vegetation: Wang, (abs. 17) 69
ponderosa (*P. ponderosa*) and fire: Swezy, (abs. 53) 78
singleleaf pinyon (*P. monophylla*) needle nutrients: Everett and Thran, (abs. 38) 74
Pinus *see* pines
Placida dendritica
population variation: Trowbridge, (abs. 45) 76
plant communities
Alaska: Ver Hoeff *et al.*, 171-180
redwoods: Harris, (abs. 80) 85
shadscale and fire: Groves and Steenhof, 205-210
and spotted knapweed: Tyser and Key, 151-160
tidal marshes: Campbell and Bradfield, 28-35
plant tissues
wave behavior: Wagner, 263-270
Plethodon *see* salamanders
poisons
and small mammals: Carey, (abs. 43) 75
Populus *see* cottonwoods
POTASH, L. L. Sprouting of pink heather in response to fire. (Abs. 52) 77
POTTER, S. L. Geology of the northern portion of the Likely fault lineament, Modoc County, northeastern California. (Abs. 77) 84
precipitation
and juniper canopies: Eddleman, (abs. 37) 74
PRINGLE, P. T. New data for large, late Holocene, debris flows in the Puyallup Basin, west of Mount Rainier, Washington. (Abs. 75) 83
propagules
response to burial: Ingersoll and Wilson, (abs. 47) 76
proteins, serum
in horses: Kirkpatrick and Gilluly, 21-27
Pseudotsuga *see* douglas-firs
PUETTMANN, K. J. and W. H. EMMINGHAM. Five-year results of a cottonwood (*Populus trichocarpa*, Torr. & Gray) spacing trial in the Willamette Valley. (Abs. 14) 68
Puyallup Basin, Wa
geology: Pringle, (abs. 75) 83
PYLES, M. R. *see* Piehl *et al.*, 91-98

Quercus *see* oaks

RADWAN, M. A. and D. S. DEBELL. Phosphorus fertilizer and growth of red alder seedlings in waterlogged soil. (Abs. 29) 72
rainfall *see* precipitation
redcedars, western (*Thuja plicata*)
light levels under stands: Messier *et al.*, (abs. 22) 70
redwoods (*Sequoia sempervirens*)
and fog: Harris, (abs. 80) 85
reforestation
seedling protection: Crawford and McNabb, (abs. 5) 66
reproduction
bighorn sheep: Foreyt, 161-164
cougars: Toweill *et al.*, 147-150
REXSTAD, E. *see* Bond *et al.*, 223-232
rivers
response to fire: Campbell and Morris, 165-170
woody debris at mouth: Benner and Sedell, (abs. 82) 85
see also Flathead River; Pack River
roads
drainage: Piehl *et al.*, 91-98
ROCHÉ, B. F., Jr. *see* Roché and Roché, 242-253
ROCHÉ, C. T., and B. F. ROCHÉ, Jr. Distribution and amount of four knapweed (*Centaurea* L.) species in eastern Washington. 242-253
ROGERS, E. I. Habitat quality as it relates to the territorial and mating system of the savannah sparrow. (Abs. 40) 74
root rot (*Phellinus weirii*)
and fungicide: Thies and Li, 16-20
ROSE, S. L. and A. S. HUTCHINS. Soil microbiological properties following natural fire disturbance. (Abs. 30) 72
RUSSELL, K. W. *see* Shaw *et al.*, (abs. 15) 68

salamanders, Coeur d'Alene (*Plethodon vandykei*)
activity and diet: Wilson and Larsen, 211-217; Wilson *et al.*, (abs. 44) 75
Salmo *see* trout
salmon (*Oncorhynchus*)
chinook (*O. tshawytscha*) management: Hassler and Spaar, (abs. 84) 86
coho (*O. kisutch*) habitat partitioning: Mundy, (abs. 41) 75
Salvelinus *see* char
Sandberg, John H. (early botanist)
on Columbia Plateau: Mack, 118-128
sap flow
thermal pumping: Wagner, (abs. 26) 71
sasquatch
footprints: Bodley, 129-130
SCHREINER, E. *see* Gracz *et al.*, (abs. 57) 79
science education
(abstracts 63-65) 80-81
SEDELL, J. R. *see* Benner and Sedell, (abs. 82) 85
Sequoia *see* redwoods
SHAW, C. G., III. *see* Florance and Shaw, 233-241
SHAW, D. C., K. W. RUSSELL, W. R. LITKKE, R. L. EDMONDS and C. H. DRIVER. Wetwood and incipient decay in western hemlock. (Abs. 15) 68
sheep (*Ovis*)
bighorn (*O. c. canadensis*) reproduction: Foreyt, 161-164
grazing: Edgerton, (abs. 78b) 84
SHEPARD, F. D. Bioaesthetics and integrated learning. (Abs. 63) 80
Sidalcea nelsoniana
transplantation: Mishaga and Nicholls, (abs. 51) 77
SILIM, S. N. *see* Kannangara *et al.*, (abs. 23) 70
SIMON, E. M. *see* Wilson *et al.*, (abs. 44) 75
SNOOK, M. W. and J. O. SULLIVAN. Physical, visual and temporal characteristics of perch selection and use by Ceryle alcyon. (Abs. 79) 84
soils
moisture classification: Goldin, 104-110
SOLTIS, D. E. *see* Wolf *et al.*, (abs. 54) 78

SOLTIS, P. S. *see* Wolf *et al.*, (abs. 54) 78
SOUTHWORTH, D. Sperm cells from flowering plants: structure and isolation. (Abs. 60) 79
SPAAR, S. A. *see* Hassler and Spaar, (abs. 84) 86
sparrows, savannah (*Passerculus sandwichensis*)
and habitat: Rogers, (abs. 40) 74
SPENCER, P. K. *see* May *et al.*, (abs. 76) 83
sperm cells
in flowering plants: Southworth, (abs. 60) 79
spores
fungi: Florance and Shaw, 233-241
spruce (*Picea*)
Engelmann (*P. engelmannii*)
seedling performance: Caza and Kimmins, (abs. 8) 66
in western Washington: Murray, (abs. 19) 69
white (*P. glauca*)
seedling roots: von der Gonna and Lavendar, (abs. 7) 66
standing waves
in plant tissue: Wagner, 263-270
STEENHOF, K. *see* Groves and Steenhof, 205-210
succession
revegetation: Gecy and Wilson, (abs. 49) 77
SULLIVAN, H. I. and J. O. SULLIVAN. Male chauvinism in foraging strategies of the sea otter, *Enhydra lutris*. (Abs. 78a) 84
SULLIVAN, J. O. Foraging efficiency, rank order, and food spacing in social canines. (Abs. 39) 74
SULLIVAN, J. O. *see* Snook and Sullivan, (abs. 79) 84
SULLIVAN, J. O. *see* Sullivan and Sullivan, (abs. 78a) 84
Summit Valley, Ca
petrology: Parker, (abs. 70) 82
surveys
botanical: Mack, 118-128
Sutton Mountain, Or
geology: Gordon and Taylor, (abs. 73) 83
SWEZY, D. M. Mortality of ponderosa pine after low intensity prescribed fire at Crater Lake, Oregon. (Abs. 53) 78

tanoaks (*Lithocarpus*)
and douglas-fir: Harrington and Tappeiner, (abs. 3) 65
root dieback: Ahrens and Newton, (abs. 2) 65
TAPPEINER, J. C. *see* Harrington and Tappeiner, (abs. 3) 65
TAYLOR, A. P. and D. R. LIGHTFOOT. cDNA cloning of *Fasciola hepatica* mRNA. (Abs. 46) 76
TAYLOR, E. M. *see* Gordon and Taylor, (abs. 73) 83
TAYLOR, R. J. and J. ARNETT. A question of identity and origin of a *Lamium* hybrid new to Washington state. (Abs. 55) 78
tectonics
Sutton Mountain, Or: Gordon and Taylor, (abs. 73) 83
Warner Valley, Or: Craven, (abs. 69) 82
tephra, volcanic
and conifer seedlings: Zobel and Antos, (abs. 50) 77
TESCH, S. D. *see* Baker-Katz *et al.*, (abs. 4) 65
THIES, W. G. and C. Y. LI. Movement of Lauricidin in douglas-fir stumps infected with *Phellinus weirii*. 16-20
THOMSON, S. M. and M. C. FELLER. The effects on vegetation of prescribed burning for wildlife habitat and range improvement in southeastern British Columbia. (Abs. 31) 72
THORNBURG, D. A. *see* Hilton and Thornburg, (abs. 1) 65
THRAN, D. F. *see* Everett and Thran, (abs. 38) 74
Thuja *see* redcedars
TOWEILL, D. E. and R. G. ANTHONY. Annual diet of bobcats in Oregon's Cascade range. 99-103
TOWEILL, D. E., C. MASER, L. D. BRYANT and M. L. JOHNSON. Reproductive characteristics of eastern Oregon cougars. 147-150
transplantation
mountain goats: Fielder and Keesee, 218-222
Sidalcea nelsoniana: Mishaga and Nicholls, (abs. 51) 77
see also introduced species
trout, cutthroat (*Salmo clarki*)
in plume: Loch and Miller, 41-48
TROWBRIDGE, C. D. Between-site variation in populations of the marine herbivore specialist *Placida dendritica* (Mollusca: Gastropoda). (Abs. 45) 76
Tsuga *see* hemlocks
Tumtum Mountain, Wa
geology: Mundorff and Eggers, 10-15
TYSER, R. W. and C. H. KEY. Spotted knapweed in natural area fescue grasslands: an ecological assessment. 151-160

vegetation studies
Alaska: Ver Hoef *et al.*, 171-180
chronosequence on sand gradient: Kaye, (abs. 48) 76
and geology: Hawkins, (abs. 66) 81
response to wildfire: Groves and Steenhof, 205-210
VER HOEF, J. M., B. J. NEILAND and D. C. GLENN-LEWIN. Vegetation gradient analysis of two sites in southeast Alaska. 171-180
volcanism
and extinctions: Hooper, 186-187
volcanoes
Tumtum Mountain: Mundorff and Eggers, 10-15
VON DER GONNA, M. and D. P. LAVENDAR. Root growth of white spruce seedlings during the first season after outplanting on mound, patch, and control site preparation treatments in the central interior of British Columbia. (Abs. 7) 66
vulcanology
Mount Hood, Or: Cameron, (abs. 72) 82

WAGNER, D. H. Phenology of spring flowering plants in Eugene, Oregon. (Abs. 59) 79
WAGNER, O. E. Thermal pumping in sap flows. (Abs. 26) 71
WAGNER, O. E. Wave behavior in plant tissue. 263-270
WANG, Q. L. Relationships between understory vegetation and immature lodgepole pine site index in sub-boreal ecosystems of British Columbia. (Abs. 17) 69
Warner Valley, Or
tectonic deformation: Craven, (abs. 69) 82
Washington
bighorn sheep reproduction: Foreyt, 161-164
Clovis points: Mehringer, 271-272
early botanical survey: Mack, 118-128
elk immobilization: McCorquodale *et al.*, 49-52
knapweed distribution: Roché and Roché, 242-253
mountain goats transplanted: Fielder and Keesee, 218-222
soils: Goldin, 104-110
Tumtum Mountain geology: Mundorff and Eggers, 10-15
water resources
planning: Curran, (abs. 86) 86
Waterville Plateau, Wa
geology: May *et al.*, (abs. 76) 83
waves, standing
in plant tissue: Wagner, 263-270
Wenatchee, Wa
Clovis points: Mehringer, 271-272
wildlife management
economic implications: Lacey *et al.*, 1-9
WILSON, A. G., Jr. and J. H. LARSEN, Jr. Activity and diet in seepage-dwelling Coeur d'Alene salamanders (*Plethodon vandykei idahoensis*). 211-217

WILSON, A.G., Jr., J. H. LARSEN, Jr. and E. M. SIMON. Diet and activity patterns of seepage-dwelling Coeur d'Alene salamanders in northwestern Montana. (Abs. 44) 75
WILSON, M. V. *see* Gecy and Wilson, (abs. 49) 77
WILSON, M. V. *see* Ingersoll and Wilson, (abs. 47) 76
WOLF, P. G., P. S. SOLTIS and D. E. SOLTIS. Autopolyploidy and tetrasomic inheritance in *Heuchera grossulariifolia*. (Abs. 54) 78
wolverines (*Gulo gulo*)
in Idaho: Groves, 181-185

ZAERR, J. B. *see* Forry and Zaerr, (abs. 21) 70
ZOBEL, D. B. and J. A. ANTOS. Understory recruitment of conifer seedlings on volcanic tephra. (Abs. 50) 77
zoology
(abs. 39-46, 78a, 79) 74-76, 84


1.0
1.1
1.25
1.4
1.6
1.8
2.0
2.2
2.5
2.8
3.2
3.6
4.0
4.5
5.0
5.6
6.3
7.1